# ORGGINAL DELEGIAN MELdorfer© assortment



THE POWER OF SURFACE.

# BELGIAN STANDARD MELDORFER® ASSORTMENT

At its location in Schleswig-Holstein, far in the north of Germany, traditional brick strip, making them very light and easy to transport. Thanks to their unique manufacturing process, which involves hardly any machines, all Meldorfer<sup>®</sup> flat facing bricks are almost 100% CO2-

consisting of 24 different new designs based on the best Belgium has to offer.

**ORIGINAL MELDORFER®** 

## LIKE BRICKS. JUST BETTER.

BEAUTIFUL **SUSTAINABLE** 25% faster application than clinker veneers **ECONOMICAL** 80% lighter No dowelling DURABLE

#### THE PERFECT PARTNER FOR EVERY PROFESSIONAL IN THE PAINTING SECTOR

For over 125 years, Caparol has continually been reinventing surfaces to make buildings healthier, beautiful, efficient and sustainable. Discover our comprehensive product solutions and services. Discover the power of surface.



THE POWER OF SURFACE.

No algae No color fading Frost resistant Impact resistant Non-flammable Perfect condition even after 30+ years

Longlasting system no follow-up costs No cracking

No heavy gluing Easy logistics on construction site 20% cost advantage over clinker veneers

60% Smaller co2-footprint than clinker veneers Handmade from natural sands & minerals -biocide free-

Authentic façade appearance Unlimited customizable design options Flexible use on all façades




## DIMENSIONS

	Size in mm	Product-no.	Contents per package	Usage approx
Meldorfer <sup>®</sup> Flachverblender				
Thin format (TF)	240 x 52	071	3 m <sup>2</sup> = 192 pieces	64 pieces/m <sup>2</sup>
Normal format (NF)	240 x 71	085	3 m <sup>2</sup> = 144 pieces	48 pieces/m <sup>2</sup>
Multi format (MF)	300 x 52/71/135	076	3 m <sup>2</sup> = 45/45/9 pieces	dependent on distribution
Special Format (SF)	300 x 135	074	3 m <sup>2</sup> = 74 pieces	22 pieces/m <sup>2</sup>
Exclusive long format (LF)	400 x 40	078	3 m <sup>2</sup> = 141 pieces	47 pieces/m <sup>2</sup>
Large format (LF)	600 x 300	072	3 m <sup>2</sup> = 18 pieces	6 pieces/m <sup>2</sup>
Extra-long format (XLF)	740 x 52	070	3 m <sup>2</sup> = 60 pieces	21 pieces/m <sup>2</sup>
FREE STYLE	Dependent on the chosen geometric shape	099		Dependent on the distribution
<b>Meldorfer<sup>®</sup> Eckverblender 3/</b> Corner strips with head and 3/4				
· · · · · · · · · · · · · · ·		073	3 m = 48 pieces	16 pieces/m
Corner strips with head and 3/4	stretch	073 086	3 m = 48 pieces 3 m = 36 pieces	16 pieces/m 12 pieces/m
Corner strips with head and 3/4	stretch 175 x 115 x 52 175 x 115 x 71		•	
Corner strips with head and 3/4 Thin format (TF) Normal format (NF) Meldorfer® Eckverblender 1/4	stretch 175 x 115 x 52 175 x 115 x 71		•	•
 Corner strips with head and 3/4 Thin format (TF) Normal format (NF) <b>Meldorfer® Eckverblender 1/</b> Corner strips with head and full	stretch 175 x 115 x 52 175 x 115 x 71 175 x stretches	086	3 m = 36 pieces	12 pieces/m
Corner strips with head and 3/4 Thin format (TF) Normal format (NF) <b>Meldorfer® Eckverblender 1/</b> 4 Corner strips with head and full Thin format (TF)	stretch 175 x 115 x 52 175 x 115 x 71 stretches 240 x 115 x 52	086	3 m = 36 pieces 3 m = 48 pieces	12 pieces/m 16 pieces/m 12 pieces/m
Corner strips with head and 3/4 Thin format (TF) Normal format (NF) <b>Meldorfer® Eckverblender 1/</b> Corner strips with head and full Thin format (TF) Normal format (NF)	stretch 175 x 115 x 52 175 x 115 x 71 15 x 115 x 71 240 x 115 x 52 240 x 115 x 71 240 x 115 x 71 240 x 115 x	086 075 087	3 m = 36 pieces 3 m = 48 pieces 3 m = 36 pieces	12 pieces/m 16 pieces/m 12 pieces/m Dependent of th




#### Meldorfer<sup>®</sup> Sole






The Meldorfer® strips can be cut to size to suit a layout plan. The minimum order is 48 m<sup>2</sup> for flat facing bricks, 30 m for corner strips and 10 m for Meldorfer® Sole.

#### An overview of the formats - choose and mix to suit your taste






Special and Multiformats

\* Other formats can be made on request

## CREATIVE POSSIBILITIES

The Meldorfer® flat facing bricks can be placed in any type of masonry bond. Below you will find an example of our Bütgenbach with wide and thin joint and the aspect of horizontal striping created by placing the strips without a head joint.



Thin joints

Joined

Within the Belgian Meldorfer® range, you can choose from 3 standard joint colours: anthracite, sand white and cement grey. Are you looking for your own tailor-made colour? Then we can easily create it for you.



Colour joint: cement grey

Colour joint: sand white





### Without head joints



#### Colour joint: anthracite









Elsene

400 x 40 mm Glued Colour joint: sand white

Eisden

400 x 40 mm Glued Colour joint: cement grey

Zichem

400 x 40 mm Glued Colour joint: cement grey

590 x 40 mm Glued Colour joint: sand white











#### Zandhoven

400 x 40 mm Glued Colour joint: sand white

### Kortenberg

400 x 40 mm Glued Colour joint: sand white

Sprimont

400 x 40 mm Glued gleur voeg: cement grey

#### Stokkem

240 x 52 mm Glued Colour joint: cement grey

Jacob Contraction		ARE IN A DE
	E T	and the second
		A A A
Sector in		1951

		1.000	-		1000 mm	
	-0255			18		-
						No. Z
				1.30	-	Contraction of
			Lett.		THERE	~
	the second	-	1000		×	There are a second seco
and and	10/20/20/20	1 Francis		JE-		2
			Barrow C	Sec. 1		
and the		200	1			A COM
	and the state		1		1-22	
Contraction of the second	- Contraction	The state	1	No responses		-
		Ser and	1.1.2	Jest and		





Koksijde

400 x 40 mm Glued Colour joint: cement grey









Bütgenbach 240 x 40 mm

240 x 40 mm Glued Colour joint: sand white

Andenne

740 x 52 mm Glued Colour joint: cement grey

Blegny

400 x 40 mm Glued Colour joint: cement grey

#### Wambeek

590 x 40 mm Glued Colour joint: cement grey

#### Waterschei

240 x 52 mm Glued Colour joint: cement grey

Beverst

740 x 52 mm Glued Colour joint: anthracite

#### Putte


400 x 40 mm Glued Colour joint: anthracite





#### lchtegem

500 x 40 mm 5lued Colour joint: cement grey



#### Waterloo

550 x 40 mm Glued Colour joint: cement grey






Zolder

240 x 52 mm Glued Colour joint: cement grey

Overijse

210 x 52 mm Glued Colour joint: anthracite





Disclaimer: These samples were produced manually by a Caparol employee. When executed on site, structure, texture, gloss and colour may deviate from this sample due to local conditions and/or manual processing.





400 x 40 mm Glued Colour joint: anthracite



### Oudsbergen

210 x 52 mm Joined Colour joint: cement grey

Baasrode

210 x 52 mm Joined Colour joint: cement grey

#### Ardooie

240 x 52 mm Glued Colour joint: anthracite

#### Do you have any questions?

DAW Belgium B.V./S.R.L. Koeltorenlaan 2 - B - 3550 Heusden-Zolder Tel: +32 (0)11 60 56 30 - Fax: +32 (0)11 52 56 07 E-mail: info@caparol.be - Website: www.caparol.be

www.original-meldorfer.com



THE POWER OF SURFACE.